ISSN: 2322 - 0902 (P) ISSN: 2322 - 0910 (O)



Case Study

ROLE OF AYURVEDIC SHODHANA AND SHAMAN CHIKITSA IN MANAGEMENT OF MUKHADOOSHIKA- A CASE STUDY

Tanvi Sunil Joshi^{1*}, Seema D. Bahatkar²

*¹PG Scholar, ²Professor & HOD, Department of Panchakarma, R.A. Podar Ayurved Medical College, Worli, Mumbai, Maharashtra, India.

Article info

Article History:

Received: 02-10-2022 Revised: 23-10-2022 Accepted: 06-11-2022

KEYWORDS:

Mukhadooshika, Virechana, Mukhalepa, Abhyantar aushadhi.

ABSTRACT

Beauty holds a very important place in expressing the personality now-a-days. Clear and healthy skin makes a good impression. Everyone especially the young generations are most conscious and careful about the beauty of the face. Due to hurry, worry, and curry type of lifestyle and some hormonal factors in the adolescent age many people suffer through Acne. It is commonly seen in young population. Mukhadooshika, according to Ayurveda, can be correlated to acne. It is a type of Kshudraroga. It involves vitiation of Kapha and Vata along with Rakta resulting into formation of Mukhadooshika. Common sites are Mukha, Urah and Prushtha. In the management of Mukhadooshika, both Shodhan and Shaman chikitsa can be performed as per the Avastha. Vaman, Virechana, Raktamokshana, Nasya, Lepan etc. Panchakarma upakrama along with Abhyantar aushadhi chikitsa (internal medications) prove very effective in reducing the Mukhadooshika and preventing the recurrence. In this case study, a female patient with diagnosis of Mukhadooshika was treated with Virechana karma, Mukhalepa and Aushadhi chikitsa that showed marked improvement.

INTRODUCTION

Beauty is the feature or quality that is pleasurable to perceive and provides a happy feeling and satisfaction to the mind. In this era of expressions, Beauty plays a very important role in development of personality. Skin is the largest organ of the body which covers all body parts. A clear and healthy skin specifically of face with impression expresses a good vibe. Face is said to be the index of mind and mirror of the body. Now-a-days, everyone especially the youngsters are most cautious and careful about their presentation and beauty of the face.

Any abnormal change in the skin of the face can affect the individual physically and psychologically. Acne vulgaris is one of these changes affecting the skin in people of every age but mostly young population. It is a benign, self-limiting disorder of pilosebaceous unit

Access this article online

Quick Response Code

https://doi.org/10.47070/ijapr.v10i10.2540

Published by Mahadev Publications (Regd.) publication licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International (CC BY-NC-SA 4.0)

characterised by small or medium sized red eruptions (pimples), pain, burning which may lead to disfiguring scars and discolouration for the lifetime.

Mukhadooshika, is a type of Kshudraroga explained in Samhitas.^[1] It involves vitiation of Kapha and Vata dosha with Rakta.^[2] As it affects people of adolescent age, it is also called as Yuvaanpidaka or Tarunyapitika. It represents as the Pitika with Shoola, Daha, with Medogarbha that looks like Shalmali kantaka.^[3] This condition has recurrence due to the lifestyle changes in diet, environment, stress, wrong sleeping schedules and hormonal disturbances.

Ayurveda, through its *Shodhana* and *Shaman* chikitsa have very marked results in the management of *Mukhadooshika* which also helps in preventing the recurrence.

Case Report

A female patient of 28 years age working as a dentist came to *Panchakarma* OPD of our hospital. She presented with the symptoms of *Mukhadooshika* as small or medium sized erupted pimples on both sides of cheeks having *Shoola (Toda), Daha* and *Araktata* (redness). Some new eruptions with small size are observed, some medium sized elevated with *Medogarbha, Daha, Shoola* (dull pain) and *Araktata*

Personal History

(redness) and some old brown-blackish disfigured scars. She was suffering with these symptoms for 3-4 years.

Signs and Symptoms

- 1) *Mukhapradesh- pitika Todavat shoola, Daha* and *Araktata* since 3 years.
- 2) Pitika sthani twak vaivarnya, Karshnya
- 3) Urodaha
- 4) Shirah shoola since 4 years
- 5) Asamadhankarak malapravrutti since 4 years

Examination

Samanya Parikshan (General examination)

4) Menstrual History– Regular, mild painful, mild-

1) No K/C/O- Hypertension, DM, Thyroid

2) No any past history of surgical illness

3) M/H/O- Typhoid- 4 years ago

- moderate flow; 3-4 days every 30 days.
- 5) Obstetric History- G1 P1 L1 A0 D0; FTND- 1 male child 4 years ago
- 6) No any allergy known to any drug or substance.

| n) | |
|----|----|
|) | n) |

| S.No. | Examination | Observations | |
|-------|-------------|------------------------------------|--|
| 1. | Nadi | Vatapradhan pitta | |
| 2. | Jivha | Alpa saama | |
| 3. | Mala | 1-2 Vega pratindin, Asamadhankarak | |
| 4. | Mutra | 4-5 Vega pratidin | |
| 5. | Shabda | Prakrut | |
| 6. | Sparsha | Sama sheetoshna | |
| 7. | Druk | Prakrut da | |
| 8. | Akruti | Madhyam | |

Table 2: Sthanik parikshan (Local examination)

| Srotas name | Examination | Srotas name | Examination |
|------------------|------------------------------------|-------------------|--|
| Pranavaha srotas | Avishesh | Medovaha srotas | Avishesh |
| Annavaha srotas | Ashman, Urodaha | Asthivaha srotas | Avishesh |
| Udakavaha srotas | Avishesh | Majjavaha srotas | Avishesh |
| Rasavaha srotas | Pitika, Daha, Shoola, | Artavavaha srotas | Niyamit rajapravartan, Alpa rajasrava; 3-4 days every 30 days. |
| Raktavaha srotas | Pitika, Daha, Shoola, Vaivarnya | Purishavaha sorts | 1-2 Vega pratidin; Asamadhankarak, Adhman |
| Mamsavaha srotas | Avishesh | Mutravaha srotas | 4-5 Vega pratidin |
| | | Swedavaha srotas | Alpasweda |

- 1) Type of lesion- papule/ Pitika
- 2) Varna (Colour)- Aarakta; Pakwa- Arunabha
- 3) Symmetry- Present
- 4) Scars-Present
- 5) Tenderness-Present

Investigations

All blood and routine examinations were performed in the patient before planning the treatment. All the reports were within normal limits.

Nidan Panchak

Hetu


Ruksha, Katu, Ushna, Vidahi, Atisnigdha ahar, Lavan ahar, Mansashana, Pramitashan, Sheeta jala pan Ratrau jagaran, Chintan, Sheeta, Ruksha vata sevan.

Poorvarupa- Mukhapradeshi alpa pitikotpatti and Raga.

Roopa- Mukhapradeshi pitika, Shoola, Daha, Araktata, Vaivarnya.

Upashay- Anupashay- Avishesh

Samprapti



Chikitsa karma

- 1) Patient was treated initially with *Abhyantar aushadhi chikitsa* and *Mukhalepa*.
- 2) *Shodhan chikitsa* was performed in the patient in the form of *Rukshan, Snehapanpurvak virechan chikitsa*.
- 3) After *Shodhan karma, Rasa rakta prasadana shaman Aushadhi* along with *Mukhalepa* was given. Details of the treatment given are described in the table given below

Medicine Kala Dose and Anupana 1) Rasapachak Vati Apana (Before meal) 500mg with warm water 2) Sootashekhar rasa Apana (Before meal) 500mg with warm water 3) Triphala guggul Vandana (After meal) 500mg with warm water 4) Praval Panchamruta rasa Vyanodana (After meal) 500mg with warm water 5) Avipattikara Churna Nisha 5gm with warm water

Table 3: Sthanik chikitsa

Mukhalepa with *Lodhra, Vacha, Dhanyak, Sariva*, Manjishtha, Shankha bhasma with Gulab jala was applied.

Table 4: Panchakarma chikitsa

| S.No. | Karma | Dravya | Days |
|-------|--------------------|-------------------------------|--------|
| 1. | Rukshan | Triphala+ Musta | 5 days |
| 2. | Abhyantar Snehapan | Panchatikta ghrita | 5 days |
| 3. | Snehan - Swedan | Tila tail and Dashmool kwatha | 3 days |
| 4. | Virechan | Trivruttavaleha | 1 day |
| 5. | Sansarjan krama | Peyadi krama | 7 days |

Procedure of Virechana

- 1) Rukshan and Pachan before Virechana was done in the patient.
- 2) *Abhyantar Snehapan* with *Panchatikta ghrita* with Dose 30ml, 60ml, 90ml, 120ml, 150ml was done for 5 days.
- 3) On *Vishranti divas, Sarvang snehan* with *Tila tail* and *Peti swedan* with *Dashamool kwath* was performed for 3 days.
- 4) Virechana was conducted with Trivruttavaleha- 50gm and Virechanopaga- Draksha Fanta.

 Total 26 Vegas along with Samyak virechana lakshan like Kramat vit Pitta kapha vata, Laghav, Kshudha Vruddhi etc. were observed.
- 5) *Peyadi sansarjan krama* was advised for 7 days and follow up was taken.

Assessment

Assessment according to Ayurveda Scale

Table 5: Assessment and Grading

| S.No. | Lakshan | Grade/ Score |
|-------|------------------------|--------------|
| 1 | Kandu | |
| | Continuous | 2 |
| | Occasionally | 1 |
| | No <i>Kandu</i> | 0 |
| 2 | Shoola | |
| | Continuous Shoola | 2 |
| | Sparshanottar shoola | 1 |
| | No Shoola | 0 |
| 3 | Vaivarnya | |
| | Raktabha pita | 3 |
| | Raktabha | 3 |
| | Arakta | 3 |
| | Arunabha | 2 |
| | Krushnabha | 1 |
| | No Vaivarnya | 0 |
| 4 | Daha | |
| | Continuous <i>Daha</i> | 2 |
| | Occasionally Daha | 1 |
| | No Daha | 0 |

Table 6: Assessment on the basis of comprehensive acne vulgaris severity score (CASS)


| | F | | | |
|-------|-------------------|--|--|--|
| Grade | Severity | Description | | |
| 0 | Clear skin | No lesions to barely noticeable ones, scattered papules | | |
| 1 | Almost clear skin | Hardly visible from 2.5 meters away, a few scattered comedones, small papules, very few pustules | | |
| 2 | Mild | Easily recognizable less than half of the affected area is involved, many small comedones, papules/ and pustules | | |
| 3 | Moderate | More than half of the affected area is involved, more comedones, papules/ and pustules | | |
| 4 | Severe | Entire area is involved, covered with comedones, numerous papules and pustules, very few nodules and cysts | | |
| 5 | Very severe | Highly inflammatory acne, covering the affected area, nodules and cysts | | |

Table 7: Assessment observed in the patient

| S.No | Assessment criteria | Score (Before Treatment) | Score (After Treatment) |
|------|---------------------|--------------------------|-------------------------|
| 1 | Kandu | 1 | 0 |
| 2 | Shoola | 1 | 0 |
| 3 | Varna | 3 | 1 |
| 4 | Daha | 1 | 0 |
| 5 | CASS | 3 | 0 |



Before Treatment



After Treatment

DISCUSSION

Mukhadooshika, as described in Kshudra roga is one of the common cosmetic related conditions in the younger age affecting psycho-social environment and confidence about the personality and appearance. In Ayurveda, according to the condition of the Dosha and Rugna (patient) it can be managed with the help of Shodhana and Shaman chikitsa.

In this case study, *Virechana* as per the classical method with *Abhyantar snehapana* was performed as *Shodhana* procedure. Patient was *Sukumar* with mainly *Rasa, Rakta, Pitta* and *Kapha dushti. Abhyantar snehapan* brought all the vitiated *Doshas* in *Koshtha. Virechana* proved very effective in eliminating the vitiated *Doshas* from the body, improving strength of *Agni*, providing proper nourishment to the *Sapta Dhatus* mainly *Rasa* and *Rakta*.^[4] As, *Raktadushti* is involved in *Mukhadooshika*, *Virechana* is best advised treatment.^[5] It helped in *Samprapti vighatana* of *Mukhadooshika*.

Shaman chikitsa was given to the patient in the form of internal medicines and Lepa. Internal medicines given were of properties- Pachan, Kaphapitta shaman, Rasa rakta prasadana.

Mukha Lepa with the Churna of Lodhra, Dhanyak, Vacha, Sariva, Manjishtha and Shankha bhasma mixed with Gulab jala acted locally on Bhrajaka pitta. It has properties of Vata-kapha shamana, Lekhana, pachan, Rasa-rakta prasadana, Varnya.

Thus, *Shodhana* and *Shaman chikitsa* proved efficient in the management of *Mukhadooshika*.

CONCLUSION

Mukhadooshika, being a Kapha-vataj and Raktaj vyadhi needs modalities of Shodhana, Kapha vata shaman and Raktaprasadana.

Cite this article as:

Tanvi Sunil Joshi, Seema D. Bahatkar. Role of Ayurvedic Shodhana and Shaman Chikitsa in Management of Mukhadooshika- A Case Study. International Journal of Ayurveda and Pharma Research. 2022;10(10):52-56.

https://doi.org/10.47070/ijapr.v10i10.2540

Source of support: Nil, Conflict of interest: None Declared

Virechana as Shodhana chikitsa helps in elimination of vitiated Pitta and Pitta sarsargaja kapha-vata dosha. Also, Pitta and Rakta have similar properties, so Virechana acts as Rakta shodhana.

Shaman aushadhi and Mukhalepa produces Pachana, Kapha-vata shaman, and Rasa-rakta prasadana karma reducing the signs and symptoms of Mukhadooshika.

This proves that Ayurvedic, *Shodhana* and *Shaman chikitsa* as per the condition shows very marked improvement in the management of *Mukhadooshika*.

REFERENCES

- 1. Acharya Yadavji Trikamji, Sushrut Samhita with Nibandhsangraha teeka of Dalhana, Nidansthan, adhyay 13, verse 39, Chaukhamba Surabharti publications, Varanasi, reprint ed. 2015, pg. no. 323.
- 2. Acharya Yadavji Trikamji, Sushrut Samhita with Nibandhsangraha teeka of Dalhana, Nidansthan, adhyay 13, verse 39, Chaukhamba Surabharti publications, Varanasi, reprint ed. 2015, pg. no. 323.
- 3. Yadunandan Upadhyay, Madhav nidan with Madhukosha teeka of Vijayrakshit and Shri. Kanthadatta Shastri, Part 2, Adhyay 55, Verse 33, Chaukhamba sanskrit bhavan, Varanasi, reprint ed.2010, pg.no. 213.
- 4. Acharya Yadavji Trikamji, Sushrut Samhita with Nibandhsangraha teeka of Dalhana, Chikitsasthan, adhyay 33, verse 27, Chaukhamba Surabharti publications, Varanasi, reprint ed. 2015, pg.no. 519.
- 5. Dr.Y.G. Joshi, Charak Samhita of Acharya Agnivesha and Charak with Ayurved Deepika teeka of Chakrapanidatta, Sutrasthan, Adhyay 24, verse 18, Vaidyamitra publications, Pune, reprint ed. 2018, pg.no.290.

*Address for correspondence Dr. Tanvi Sunil Joshi

PG Scholar,

Department of Panchakarma, R.A.Podar Ayurved Medical College, Worli, Mumbai. Email: jtanvi7@gmail.com

Mob: 7350351662

Disclaimer: IJAPR is solely owned by Mahadev Publications - dedicated to publish quality research, while every effort has been taken to verify the accuracy of the content published in our Journal. IJAPR cannot accept any responsibility or liability for the articles content which are published. The views expressed in articles by our contributing authors are not necessarily those of IJAPR editor or editorial board members.