



## Case Study

### AYURVEDIC MANAGEMENT OF PALMOPLANTAR PSORIASIS: AN EVIDENCE BASED CASE REPORT

Saranya P<sup>1\*</sup>, PM Madhu<sup>2</sup>, Farseena K<sup>2</sup>

\*1PG Scholar, <sup>2</sup>Assistant Professor, Department of Roganidana, Government Ayurveda College, Kannur, Kerala India.

#### Article info

##### Article History:

Received: 05-04-2025

Accepted: 18-05-2025

Published: 15-06-2025

##### KEYWORDS:

Palmoplantar  
psoriasis, *Vipadika*  
*Kushta*.

#### ABSTRACT

Palmoplantar psoriasis is a chronic dermatological condition that primarily affects the palms of the hands and soles of the feet, leading to significant functional disability. It is characterised by hyperkeratosis, scaling, and thickening of the skin. The condition may also involve painful fissures and bleeding. In this case study, an 83-year-old male patient presented to the Inpatient department (IPD) with complaints of blackened, thickened skin lesions, along with cracks, itching, scaling, and pain on both his feet and hands, lasting for the past three months. From the clinical presentation, the condition can be correlated with "*Vipadika Kushta*" in Ayurveda. The negative impact of palmoplantar psoriasis on the patient's personal and social life is profound, as it severely hampers daily activities and mobility. While modern medicine mainly focuses on topical treatments, complete recovery is often not achievable. However, with the help of Ayurvedic treatment modalities, the patient experienced significant relief from pain and itching. Additionally, the cracks and discolouration of the skin improved considerably, showcasing the potential benefits of Ayurveda in managing such chronic conditions.


#### INTRODUCTION

Palmoplantar psoriasis is a specific type of psoriasis that primarily affects the skin on the palms of the hands and the soles of the feet [1]. It accounts for 3-4% of all psoriasis cases and can affect individuals of all ages [2]. This condition arises due to a combination of genetic and environmental factors [3]. One of the most commonly associated genetic factors is the presence of the human leukocyte antigen (HLA)-Cw6 [4]. Environmental triggers, such as smoking, irritants, friction, and manual or repetitive trauma, are known to exacerbate or induce palmoplantar psoriasis [5]. The pathogenesis of palmoplantar psoriasis follows a similar mechanism to other forms of psoriasis, involving the interaction between genetic predisposition and antigenic trigger [6]. Various environmental triggers can activate palmoplantar psoriasis in individuals who are genetically susceptible [7].

Symptoms of palmoplantar psoriasis include itching, burning sensations, pain, redness, thickened skin, scaling, and discoloration [8].

Patients may also experience difficulty in walking or performing daily tasks with their hands and feet [9]. Cracking and bleeding of the skin are common when the affected area is scratched or rubbed [10]. Exacerbations are often triggered by seasonal changes, household chores, or exposure to detergents [11]. This condition is more prevalent among individuals who work in manual labours, such as farmers, construction workers, and housewives [12].

In Ayurveda, the disease can be categorised under *Kushta*, and *Vipadika* is one such condition included under *Kshudra Kushta*. The classical symptoms of *Vipadika* include *Pani Pada sphutana* (fissures in the palms and soles) and *Theevra Vedana* (severe pain) [13]. These symptoms align with conditions like cracks, scaling, itching, and pain in the palms and soles. According to Ayurveda, *Vata*, *Pitta*, and *Kapha* are responsible for both health and disease, depending on their equilibrium and imbalance. Acharya Charaka classifies all *Kushthas* as *Thridoshaja* (involving all three *Doshas*). In *Vipadika Kushta*, the involvement of *Vata* and *Kapha doshas* is predominantly seen.

Access this article online	
Quick Response Code	<a href="https://doi.org/10.47070/ijapr.v13i5.3728">https://doi.org/10.47070/ijapr.v13i5.3728</a>
	Published by Mahadev Publications (Regd.) publication licensed under a Creative Commons Attribution-NonCommercial-ShareAlike 4.0 International (CC BY-NC-SA 4.0)

In the present case, an 83-year-old male patient presented to the OPD with chief complaints of blackish, thickened skin lesions associated with cracks, scaling, itching, and pain over the bilateral hands and feet for the past 3 months. After a detailed physical and clinical examination, the patient was diagnosed with palmoplantar psoriasis. The features of the condition were compared with *Vipadika kushta*, and treatment was planned accordingly. After one month of Ayurvedic treatment, the patient reported considerable relief from the cracks, scaling, itching, and pain in the bilateral hands and feet.

## MATERIALS AND METHODS

### Case report

The 83-year-old male patient presented with hyperpigmented skin lesions, associated with cracks, scaling, itching, and pain on both hands and feet for the past 3 months. Three months ago, he noticed mild itching and yellowish discoloration on his bilateral palms, which gradually worsened. This was followed by the development of white flakes and skin thickening on the palms. After a month, the cracks evolved into fissures. Simultaneously, similar symptoms appeared on the bilateral feet, starting at the toes and spreading gradually. Despite taking allopathic medications, the patient experienced only temporary relief. Over time, the fissuring on the feet worsened, deepened, and became painful, leading to difficulty in walking. Given the progression of symptoms, the patient sought further evaluation in our outpatient department (OPD). Based on the clinical presentation, a management plan was formulated.

### Personal history

Bowel- Hard stool  
Appetite- Reduced  
Bladder- 4-5 times/day  
Sleep- Sound  
Diet- Mixed  
Exercise- Moderate  
Allergy- Nil

### General examination

Appearance- Normal  
Built- Lean  
Pallor- Absent  
Icterus- Absent  
Cyanosis- Absent  
Oedema- Absent

### Vitals

Pulse- 75/min  
BP- 130/90mmHg  
Respiratory rate- 16/min  
Weight- 56kg

### Integumentary system examination

Primary lesion-hyperpigmented thickened patch and plaques over middle of the sole and over middle thenar aspect of bilateral palm, palmar aspect of fingers.

Secondary lesions-hyper pigmented hyper keratinised lesion over palm, sole silvery white scaling over fingers especially over the knuckles linear fissure measuring about 3cm length approximately, 0.3cm depth over lateral aspect of right sole below 3<sup>rd</sup> and 4<sup>th</sup> toe, similar fissure about 4cm length just below that arcuate shaped fissure below that measuring 6cm in length.

Left sole-multiple fissures measuring 3cm in length in the lateral aspect.

Multiple small fissures nearly 4mm seen over palm.

Configuration- Linear

Distribution- Bilateral and symmetrical

Special test- Auspitz sign-positive

Nail-yellowish discolouration with hyperkeratosis, onycholysis noted over nail especially over thumb and big toe.

Hair - Intact

Oral mucosa- No lesions noted

Palpation- Rough on touch, Grade 3- tenderness over fissures of soles, Grade 2- tenderness over fissures of palm.

### Other system examination

No abnormalities noted

### Diagnosis

Based on the clinical history and physical examination, the condition was diagnosed as palmo plantar psoriasis.

### Samprapthi ghataka

Dosha- Thridosha -VK pradhana  
Dushya- Rasa, Raktha, Mamsa  
Srotas- Rasa, Raktha, Mamsa  
Agni- Mandha  
Adhishtana- Twak  
Rogamarga- Bahya  
Vyadhi Avastha- Nava  
Sadhyasadhyatha- Krichra

The patient had indulged in the consumption of *Snigdha*, *Abhishyanthi*, and *Guru ahara*, which may have led to *Agnimandhya*. Additionally, the sedentary nature of his lifestyle could have contributed to this condition. The presence of *Agnimandhya* may have resulted in the formation of ama, which could have transformed into *Amavisha* and localised in the *Amasaya*. Due to its *Mandha veerya*, the *Ama* did not produce any noticeable effects initially, rendering the patient asymptomatic. Later, favourable factors such as the consumption of *Kleda-varadhakara ahara*, *Diva Swapna*, stress, and the patient's advancing age, during

which the body's *Vyadhikshamatwa* tends to decline. May have led to the potentiation of *Aamavisha*. This, in turn, could have caused the *Dosha* to affect the *Rasadi dhatus* like *Rasa*, *Rakta*, and *Mamsa*. The *Rasa dhatu dushti* may manifest as *Agnimandhya* and *Aruchi*, while *Rakta dushti* can present as hyperpigmented skin, itching, and burning sensations. *Mamsa dushti* may be evident through symptoms such as *Panipada spota* and skin thickening. In addition to these, the patient also exhibits signs of *Prathiloma vata*, that may be localised over the *Twak*, showing the symptoms of *Twak gatha*

*vata*. The *Vata Kopa* may be triggered by the *Vardhakyavastha* of the patient. This condition may lead to multiple cracks and fissures of skin.

### Treatment given

Treatment is the scientific process aimed at reversing the underlying pathology (*Samprapthi vighatana*). To alleviate the symptoms and prevent recurrence of the disease, the patient requires interventions such as *Pachana*, *Deepana*, *Sodhana*, *Kleda soshana*, *Anulomana*, *Dhatuposhana*.

**Table 1: Course of the treatment given**

*Anulomana, Pachana, Deepana*

S. No	Medicine	Dosage and time of administration	Duration
1	<i>Amrithotharam kashayam</i>	90ml, 6am, 6pm before food	Initial 14 days
2	<i>Rajanyadi choornam</i>	5 gm, morning and evening after food	Initial 14 days
3	<i>Nimbamrutheranda thailam</i>	10ml with morning <i>Kashayam</i>	Initial 14 days

*Kleda soshana*, especially to reduce the *Kleda* of *Twak* and *Mamsadhathu*

4	<i>Punarnavadi kashayam</i>	90ml, 9am, 9pm after food	Next 14 days
5	<i>Panchathiktham kashayam</i>	90 ml, 9am, 9pm after food	Next 14 days
6	<i>Thriphaladi choornam</i>	10 gm morning and evening after food	Next 14 days

*Snehana, Swedana*-as a *Poorvakarma* of *Sodhana*

7	<i>Guggulu thikthakam gritham</i>	50ml-4 days 100ml, 150ml morning 6 am
8	<i>Avipathi choornam</i>	20gm, 6am before food

*Bahya chikitsa*

9	<i>Sathadoutha gritham</i> + <i>Thikthaka gritham</i>	External application	14 days after <i>Sodhana</i>
---	---	----------------------	------------------------------

## RESULTS

**Table 2: Assessment criteria for *Sphutana* <sup>[14]</sup>**

S.no	Clinical features	
1	Insignificant dryness at foot/palms	0
2	Roughness is present when touching	1
3	Excessive roughness presents and leading to itching	2
4	Excessive roughness presents and leading to slight cracks	3
5	Roughness leading to cracks and fissures	4

**Table 3:**

	Hand (bilateral)	Foot (bilateral)
Before treatment	3	4
After treatment	2	3

**Table 4: Measurement of cracks-length**

Site	Before	After
Palm (bilateral)	4mm	3mm
Right sole	3cm	2cm
Right sole	6cm	4cm
Left sole	3cm	1.5cm



**Table 5: Observation table**

Clinical features	Before (bilateral palm)	After	Before (bilateral foot)	After
Scaling	++++	++	++++	+++
Fissuring	++++	+	+++	++
Itching	+++	+	+++	++
Pain	+++	+	+++	++

**1<sup>ST</sup> OP Visit**



**Fig 1**



**Fig 2**




**Fig 3**

**During IP treatment**




**Fig 4**



**Fig 5**



**Fig 6**



**Fig 7**

## After treatment



Fig 8



Fig 9

## DISCUSSION

Palmoplantar psoriasis is a chronic variant of psoriasis that primarily affects the skin of the palms and soles, often leading to significant functional disabilities. Based on the clinical features of palmoplantar psoriasis, it can be correlated with *Vipadika Kushta*. The *Samprapthi*, begins with *Agni mandhya*, which leads to the formation of *Ama* and *Kleda*. In the initial stage of treatment, we focus on *Pachana* and *Deepana* to correct the root cause of the disease. To achieve this, *Amrithotharam Kashaya* has been selected, this formulation is traditionally used in the management of *Jwara*. The formulation includes herbs like *Nagara*, *Amrita*, and *Hareethaki*, each contributing uniquely to the treatment. *Nagara* is known for its *Ama-pachana* and *Vatanulomana* properties [15]. *Rajanyadi Choorna*, mentioned under *Balaroga*, has also been selected. It possesses *Deepana* and *Vatanulomana* properties and helps to enhance *Bala* and *Varna*, which help in the formation of healthy tissues [16]. These medicines were given for 14 days. In the next 14 days, *Kledahara* medicines were selected. *Punarnavadi Kashaya* has also been advised as a part of the *Samprapthi*. *Pani-Pada Spota* is the initial presentation of *Vipadika Kushta*, which occurs due to the localisation of *Dosha* and *Kleda* in the *Mamsadhathu*. *Punarnavadi Kashaya* possesses *Pachana* properties and helps in reducing the *Dosha dushti* occurring in the *Mamsadhathu* [17]. *Panchathikthaka kashaya* has a significant action on the *Mamsa dhatu* and help in reducing *Kleda* in the body. The predominance of *Tikta Rasa* in this formulation contributes to its *Kleda Shoshana* and *Rakta shodhana* properties [18]. These make it useful in conditions involving vitiated blood and inflammatory disorders. Key ingredients like *Nimba* and *Amritha* are well-documented in classical texts for their efficacy in conditions like *Vishama Jwara* mainly when the doshas localised in *Mamsa dhatu*. Their action helps to normalise the affected tissues by eliminating the morbid *Doshas* and restoring *dhatu* balance. The patient was also advised to take *Triphaladi choorna* due to its *Vatanulomana* properties, which help to relieve the *Baddha Pureesha*. *Twak gatha kelda nasana* property of *Thriphala* is also used here [19].

*Nimbamrutheranda taila* was selected as *Snigda anulomana*. For *Sodhananga Snehapana* as a *Purva Karma*, *Panchatikta ghrta* has been selected. *Purva Karma* is crucial as it facilitates the proper mobilization of *Doshas* from the *Shakha* to the *Koshta*. This is achieved through *Snehana* and *Swedana*. *Snehapana* induces *Dosha utklesha*, which is essential before administering *Shodhana*. As the patient is having *Prabhootha dosha*, *Shodhana* therapy is indicated. Diseases eliminated through *Shodhana* do not recur. Among *Shodhana* methods, *Virechana* has been selected for this patient. Considering the patient's *Kledavastha*, *Choorna Virechana* is appropriate. *Avipathi Choorna* was chosen as the drug of choice for this purpose [20]. it's good for *Pitha samana*, *Vathanulomana agni vardhana* and *Kleda nasana*. After *Shodhana* therapy, once the internal *Dushta doshas* have been eliminated, external therapies should be initiated. For this purpose, *Shatadhauta ghrta* and *Panchatikta ghrta* have been advised for topical application. These formulations help to reduce skin cracking and fissuring caused by *Pratiloma vata*. They possess nourishing properties that help to moisturize the skin, alleviate dryness, and reduce the burning sensation. Along with these medications, strict guidelines regarding diet and lifestyle have been provided. *Pathyas* like *Ushnodaka* processed with ginger, *Dadima*, *Mudga* etc was advised to the patient. As a result, significant improvement was observed in the patient.

## CONCLUSION

Current modern treatment for palmoplantar psoriasis offers only limited benefits. Conventional treatment aims to suppress the immune and inflammatory responses by using drugs like corticosteroids. This case study shows the effectiveness of Ayurvedic management in treating palmo plantar psoriasis. In Ayurveda *Samprapthi vighatana* is *Chikitsa*. Initially the *Doshas* and *Dushyas* involved in the *Samprapthi* should be corrected. The patient's treatment plan includes *Pachana deepana vatanulomana sodhana chikitsa* to alleviate the symptoms and prevent the disease recurrence.

## ACKNOWLEDGMENT

We express our sincere gratitude to all the teaching staff of the department for their guidance and support. We also extend our appreciation to the postgraduate scholars, nursing staff, paramedical team, patients, and bystanders for their valuable contributions in managing the case.

## REFERENCES

1. Miceli A, Rogge M, Czernik A. Palmoplantar Psoriasis: A Review of Current Therapy. In Psoriasis Forum 2015 Mar (Vol. 21, No. 1, pp. 42-47). Sage CA: Los Angeles, CA: Sage Publications.
2. Ibid
3. Ibid
4. Ibid
5. Krishna Das KV, editor. Textbook of Medicine. 5<sup>th</sup> ed. New Delhi: Jaypee Brothers Medical Publishers; 2008. p.1363
6. Ibid
7. Ibid
8. Ibid
9. Ibid
10. Ibid
11. Ibid
12. Ibid
13. Prof. KR Srikanta Murthy. Ashtanga Hridaya nidana sthana. 14<sup>th</sup> chapter. 9<sup>th</sup> edition. Varanasi. Chawkhamba krishnadas academy. 2013. p126
14. Chaudhari RA, Banarase N, Ladhee SP. Ayurvedic management of Vipadika (Palmo-plantar Psoriasis)- A Case study. Journal of Ayurveda and Holistic Medicine (JAHM). 2023 May 18; 11(4).
15. KV Krishnadas vaidyan. Sahasra yoga jwaraadhikara. 18<sup>th</sup> edition. Mullakkal Alappy. Vidhyarambam publishers. 1992. p29
16. Prof. KR Srikanta Murthy. Ashtanga Hridaya Uttara sthana. 2<sup>nd</sup> chapter 38-40 sloka. 9<sup>th</sup> edition. Varanasi. Chawkhamba krishnadas academy. 1997. p412-413
17. KV Krishnadas vaidyan. Sahasra yoga soppaadhikara. 18<sup>th</sup> edition. Mullakkal Alappy. Vidhyarambam publishers. 1992. p111
18. Prof. KR Srikantha Murthy. Ashtanga hridayam chikitsa stana. Vatavyadhi chikitsa. 9<sup>th</sup> edition. Varanasi. Chawkhamba krishnadas academy. 2021. p508
19. KV Krishnadas vaidyan. Sahasra yoga .18<sup>th</sup> edition. Mullakkal Alappy. Vidhyarambam publishers. 1992. p175
20. KV Krishnadas vaidyan. Sahasra yoga. 18<sup>th</sup> edition. Mullakkal Alappy. Vidhyarambam publishers. 1992. p165

### Cite this article as:

Saranya P, PM Madhu, Farseena K. Ayurvedic Management of Palmoplantar Psoriasis: An Evidence Based Case Report. International Journal of Ayurveda and Pharma Research. 2025;13(5):102-107.

<https://doi.org/10.47070/ijapr.v13i5.3728>

**Source of support: Nil, Conflict of interest: None Declared**

### \*Address for correspondence

**Dr Saranya P**

PG Scholar,  
Department of Roganidana,  
Government Ayurveda College,  
Kannur, Kerala, India.  
Email: [saranyac927@gmail.com](mailto:saranyac927@gmail.com)

Disclaimer: IJAPR is solely owned by Mahadev Publications - dedicated to publish quality research, while every effort has been taken to verify the accuracy of the content published in our Journal. IJAPR cannot accept any responsibility or liability for the articles content which are published. The views expressed in articles by our contributing authors are not necessarily those of IJAPR editor or editorial board members.